

The new TB120 offers a superlative experience with a great list of unique features for ultimate flexibility and durability. Built in a physical keypad with programmable hot keys, TB120 is not only friendly and intuitive, but also smart as it helps enterprise users to operate long time in the inside and outside. This device is durable enough to be persistently reviewed in extreme temperatures or super heat environment. Moreover, it is able to survive a fall and suitable for logistic and retail applications.

Slim industrial tablet with a numeric keypad

Lightweight and highly portable for the field, TB120 was built to be functional first and foremost, but it also offers an elegant design with durability. In addition to a 7 inch multi-touch Gorilla Glass display which protects the glass from drops on rough surfaces, the TB120 includes a stylish numeric and function keypad which is more convenient for users to input data in a short time.

Versatile functionality

Powered by a 1.5 Ghz Dual Core Processor, and running on Android 4.3 Jelly Bean operation system, TB120 provides superior fast performance and smooth operation as well as combining 2D barcode scanning, NFC/RFID and 5.0MP auto focus camera in one durable tablet. In addition, it supports 802.11a/b/g/n wireless networks and Bluetooth 4.0 that fulfills high flexibility for field services workers to get connected anywhere.

Elegant but durable

Unitech has been able to drive the TB120 to just 18.8mm thick and 735g heavy – thinner and lighter than any industrial tablet. Engineered to perform in any environment, TB120 is rugged enough to drop from the 1.2 meters onto concrete. Moreover, it has IP65 certification, completely sealing durable housing against dust and moisture to withstand water jets. It not only that, but this device meets sturdy MILSTD-810G military standard, boasting shock resistance, anti-vibration and together with a wide operating temperature range of -10°C to 50°C. TB120 also has removable battery to keep tablet going longer, it brings a new level of industrial tablet with high reliability for business applications and field service.

Features

- Android 4.3
- Ultra-Rugged Construction: IP65 rated, 1.2M drop and MIL-STD-810G certified
- Lightweight and compact design: Only 735g with 1D engine and battery
- Large 7-inch color multi-touch sunlight-readable display
- Built in 1D / 2D scanner, keypad, and 5 Megapixel camera
- Latest Bluetooth v4.0, GPS, Wi-Fi and wireless LAN 802.11 a/b/g/n guad-mode radios
- Swappable Battery: 5200mAh Li-Polymer battery pack





TB120 Specifications





System Features

CPU TI OMAP 4470 1.5Ghz Dual Core Processor

Memory 1GB Mobile DDR RAM

8GB eMMC Flash

OS Android 4.3

Languages support English, Simp. Chinese, Traditional Chinese,

Japanese, Spanish, German, French

Display

Gorilla Glass III with capacitive touch pannel 7" Color Transmissive 1280x800 dots LCD

Keypad

37 physical keys. Numeric and functionable keys

Indicator

1 LED indicate charge/Message Vibrator

Optional Modules

1D CCD Barcode scanner

1D Laser Barcode Engine UPC-A/E, EAN-8/13, Codabar, Code 39, Code 39 full ASCI, Code 93, Code 32, Interleaved & Std. 2

of 5, EAN 128, Code 11,

Delta, MSI/Plessey, Code 128, Toshiba, RSS

expended, RSS Limited, RSS14.

2D Imager

1D All major codes

2D PDF417, MicroPDF417, Composite, RSS,

TLC-39, Datamatrix, QR code, Micro QR code, Aztec, MaxiCode, Postal Codes: US PostNet, US Planet, UK Postal, Australian Postal, Japan Postal

Dutch Postal (KIX)

Regulatory Approvals

CE, NCC, FCC, BSMI, VCCI, CCC, RoHS compliance





Headquaters

Taipei, Taiwan

http://www.ute.com e-mail: info@hq.ute.com

Unitech America

Los Angeles

http://us.ute.com e-mail: info@us.ute.com http://can.ute.com info@can.ute.com

Mexico

http://latin.ute.com e-mail: info@latin.ute.com

Unitech Asia Pacific & Middle East

Taipei

http://apac.ute.com info@apac.ute.com / info@india.ute.com

http://mideast.ute.com info@mideast.ute.com

Communication

Camera and Flash Light 2M Pixels Front Camera

5M Pixels Rear Camera CMOS Sensor Camera with Auto focus,

LED flash light

External storage Support MicroSD memory card up to 32GB

Bluetooth Bluetooth 4.0 with Bluetooth SIG certification

WWAN GSM/GPRS/EDGE 850/900/1800/1900 MHzUMTS

850/900/1700/1900/2100 MHz WCDMA modem, HSPA+, DL:

21Mbps/ UL: 5.76Mbps.

GPS GPS supports MS-assisted, MS-based and

autonomous operation modes

Other Sensors eCompass

Light & Proximity sensor

G-sensor

RFID Frequency: 13.56MHz

Tag Support: ISO15693, ISO14443A, ISO14443B

Support NFC

Power Source

Main Battery Swappable Battery. 19.76 Wh 3.8V @5200mAh

Li-ion battery pack

Backup Battery capacity 1 hour

Enclosure

Weight 735g (1D); 724g (No engine) with battery

Dimension 264.5x143.7x18.8 (mm)

Environmental

Drop test to Concrete 1.2 meter MIL-STD 810G,Method 516.6,Procedure IV

Environmental Sealing IP65 IEC/EN 60529 Standard

Vibration and Shock test MIL-STD-810G, Method 514.6, Procedure I MIL-STD-810G, Method 514.6, Procedure II, Category 5

Mobile Device Management Software and Service

MoboLink®

Device Management; Application Management; Event Triggers

Accessories

Single Slot USB Client/Host Cradle with Battery Charger Handstrap 5200 mAH standard Battery USB Communication Cable Power adaptor with universal plugs

Unitech Europe

Tilburg / Netherlands

http://eu.ute.com e-mail: info@eu.ute.com

Unitech Japan

Tokyo

http://jp.ute.com e-mail: info@jp.ute.com

Unitech Greater China

Beijing, Shanghai, Guang Zhou, Xiamen http://cn.ute.com info@cn.ute.com Taipei http://tw.ute.com info@tw.ute.com

